DATE: 06/11/2001

```
TIME: 12:48:28
                 PATENT APPLICATION: US/09/668,558A
                  Input Set : D:\SEQLST\Seqlst.txt
                  Output Set: N:\CRF3\06112001\1668558A.raw
    5 <110> APPLICANT: Yen, Frances
   10 <120> TITLE OF INVENTION: Methods Of Screening For Compounds That Modulate the
            LSR-Leptin Interaction and Their Use in the Prevention
            and Treatment of Obesity-Related Diseases
                                                                 ENTERED
C--> 16 <140> CURRENT APPLICATION NUMBER: US/09/668,558A
C--> 16 <141> CURRENT FILING DATE: 2001-03-12
     16 <150> PRIOR APPLICATION NUMBER: 60/155,506
     17 <151> PRIOR FILING DATE: 1999-09-22
     19 <160> NUMBER OF SEQ ID NOS: 106
      21 <170> SOFTWARE: Patent.pm
      23 <210> SEQ ID NO: 1
      24 <211> LENGTH: 23187
       26 <213> ORGANISM: Homo sapiens
       25 <212> TYPE: DNA
       28 <220> FEATURE:
       29 <221> NAME/KEY: exon
        30 <222> LOCATION: 2001..2356
        31 <223> OTHER INFORMATION: exon1
        33 <220> FEATURE:
        34 <221> NAME/KEY: exon
         35 <222> LOCATION: 3540..3884
         36 <223> OTHER INFORMATION: exon2
         38 <220> FEATURE:
         39 <221> NAME/KEY: exon
          40 <222> LOCATION: 12163..12282
          41 <223> OTHER INFORMATION: exon3
          43 <220> FEATURE:
           44 <221> NAME/KEY: exon
           45 <222> LOCATION: 15144..15200
           46 <223> OTHER INFORMATION: exon4
           48 <220> FEATURE:
            49 <221> NAME/KEY: exon
            50 <222> LOCATION: 15765..15911
            51 <223> OTHER INFORMATION: exon5
            53 <220> FEATURE:
             54 <221> NAME/KEY: exon
             55 <222> LOCATION: 19579..19752
             56 <223> OTHER INFORMATION: exon6
             58 <220> FEATURE:
              59 <221> NAME/KEY: exon
              60 <222> LOCATION: 19899..19958
              61 <223> OTHER INFORMATION: exon7
              63 <220> FEATURE:
```

DATE: 06/11/2001 TIME: 12:48:28 RAW SEQUENCE LISTING PATENT APPLICATION: US/09/668,558A

Input Set : D:\SEQLST\Seqlst.txt

Output Set: N:\CRF3\06112001\1668558A.raw

64 <221> NAME/KEY: exon 65 <222> LOCATION: 20056..20187 66 <223> OTHER INFORMATION: exon8 68 <220> FEATURE: 69 <221> NAME/KEY: exon 70 <222> LOCATION: 20329..20957 71 <223> OTHER INFORMATION: exon9 73 <220> FEATURE: 74 <221> NAME/KEY: exon 75 <222> LOCATION: 21047..21187 76 <223> OTHER INFORMATION: exon10 78 <220> FEATURE: 79 <221> NAME/KEY: polyA_signal 80 <222> LOCATION: 21168..21173 81 <223> OTHER INFORMATION: AATAAA 83 <220> FEATURE: 84 <221> NAME/KEY: misc_feature 86 <223> OTHER INFORMATION: potential 5'regulatory region 88 <220> FEATURE: 89 <221> NAME/KEY: misc_feature 91 <223> OTHER INFORMATION: homology with USF2 gene in ref: embl Y07661 90 <222> LOCATION: 22324..23187 93 <220> FEATURE: 94 <221> NAME/KEY: primer_bind 96 <223> OTHER INFORMATION: upstream amplification primer 17-2 98 <220> FEATURE: 101 <223> OTHER INFORMATION: downstream amplification primer 17-2 , complement 99 <221> NAME/KEY: primer_bind 100 <222> LOCATION: 1047...1068 103 <220> FEATURE: 104 <221> NAME/KEY: primer_bind 106 <223> OTHER INFORMATION: upstream amplification primer 99-4576 108 <220> FEATURE: 111 <223> OTHER INFORMATION: downstream amplification primer 99-4576, complement 109 <221> NAME/KEY: primer_bind 110 <222> LOCATION: 1385..1402 113 <220> FEATURE: 114 <221> NAME/KEY: primer_bind 116 <223> OTHER INFORMATION: upstream amplification primer 9-19 118 <220> FEATURE: 121 <223> OTHER INFORMATION: downstream amplification primer 9-19 , complement 119 <221> NAME/KEY: primer_bind 120 <222> LOCATION: 1616..1635

file://C:\Crf3\Outhold\VsrI668558A.htm

123 <220> FEATURE:



DATE: 06/11/2001 RAW SEQUENCE LISTING TIME: 12:48:28 PATENT APPLICATION: US/09/668,558A

Input Set : D:\SEQLST\Seqlst.txt

Output Set: N:\CRF3\06112001\1668558A.raw

- 125 <222> LOCATION: 1602..1621
- 126 <223> OTHER INFORMATION: upstream amplification primer 9-20
- 128 <220> FEATURE:
- 129 <221> NAME/KEY: primer_bind
- 131 <223> OTHER INFORMATION: downstream amplification primer 9-20 , complement
- 133 <220> FEATURE:
- 134 <221> NAME/KEY: primer_bind
- 135 <222> LOCATION: 2036..2053
- 136 <223> OTHER INFORMATION: upstream amplification primer 99-4557
- 138 <220> FEATURE:
- 139 <221> NAME/KEY: primer_bind
- 141 <223> OTHER INFORMATION: downstream amplification primer 99-4557, complement 140 <222> LOCATION: 2563..2580
- 143 <220> FEATURE:
- 144 <221> NAME/KEY: primer_bind
- 145 <222> LOCATION: 2084..2102
- 146 <223> OTHER INFORMATION: upstream amplification primer 9-1
- 148 <220> FEATURE:
- 149 <221> NAME/KEY: primer_bind
- 151 <223> OTHER INFORMATION: downstream amplification primer 9-1 , complement 150 <222> LOCATION: 2483..2500
- 153 <220> FEATURE:
- 154 <221> NAME/KEY: primer_bind
- 155 <222> LOCATION: 2470..2489 156 <223> OTHER INFORMATION: upstream amplification primer 9-21 , complement
- 158 <220> FEATURE:
- 159 <221> NAME/KEY: primer_bind
- 160 <222> LOCATION: 2062..2081
- 161 <223> OTHER INFORMATION: downstream amplification primer 9-21
- 163 <220> FEATURE:
- 164 <221> NAME/KEY: primer_bind
- 165 <222> LOCATION: 3455..3474
- 166 <223> OTHER INFORMATION: upstream amplification primer 9-3
- 168 <220> FEATURE:
- 169 <221> NAME/KEY: primer_bind
- 170 <222> LOCATION: 3882..3901
- 171 <223> OTHER INFORMATION: downstream amplification primer 9-3 , complement
- 173 <220> FEATURE:
- 174 <221> NAME/KEY: primer_bind
- 175 <222> LOCATION: 3775..3792
- 176 <223> OTHER INFORMATION: upstream amplification primer 99-4558
- 178 <220> FEATURE:
- 179 <221> NAME/KEY: primer_bind
- 181 <223> OTHER INFORMATION: downstream amplification primer 99-4558 , complement
- 183 <220> FEATURE:
- 184 <221> NAME/KEY: primer_bind
- 185 <222> LOCATION: 4902..4920

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/668,558A

DATE: 06/11/2001 TIME: 12:48:28

Input Set : D:\SEQLST\Seqlst.txt

Output Set: N:\CRF3\06112001\1668558A.raw

- 186 <223> OTHER INFORMATION: upstream amplification primer 99-14419 , complement
- 188 <220> FEATURE:
- 189 <221> NAME/KEY: primer_bind
- 190 <222> LOCATION: 4444..4463
- 191 <223> OTHER INFORMATION: downstream amplification primer 99-14419
- 193 <220> FEATURE:
- 194 <221> NAME/KEY: primer_bind
- 195 <222> LOCATION: 6638..6655
- 196 <223> OTHER INFORMATION: upstream amplification primer 99-4577
- 198 <220> FEATURE:
- 199 <221> NAME/KEY: primer_bind
- 200 <222> LOCATION: $7072..\overline{7}089$
- 201 <223> OTHER INFORMATION: downstream amplification primer 99-4577 , complement
- 203 <220> FEATURE:
- 204 <221> NAME/KEY: primer_bind
- 205 <222> LOCATION: $7995..\overline{8}012$
- 206 <223> OTHER INFORMATION: upstream amplification primer 99-4559
- 208 <220> FEATURE:
- 209 <221> NAME/KEY: primer_bind
- 210 <222> LOCATION: 8576..8593
- 211 <223> OTHER INFORMATION: downstream amplification primer 99-4559 , complement
- 213 <220> FEATURE:
- 214 <221> NAME/KEY: primer_bind
- 215 <222> LOCATION: 9622..9639
- 216 <223> OTHER INFORMATION: upstream amplification primer 99-3148
- 218 <220> FEATURE:
- 219 <221> NAME/KEY: primer_bind
- 220 <222> LOCATION: 10023..10040
- 221 <223> OTHER INFORMATION: downstream amplification primer 99-3148, complement
- 223 <220> FEATURE:
- 224 <221> NAME/KEY: primer_bind
- 225 <222> LOCATION: 9964..9981
- 226 <223> OTHER INFORMATION: upstream amplification primer 99-4560
- 228 <220> FEATURE:
- 229 <221> NAME/KEY: primer_bind
- 230 <222> LOCATION: 10546..10563
- 231 <223> OTHER INFORMATION: downstream amplification primer 99-4560 , complement
- 233 <220> FEATURE:
- 234 <221> NAME/KEY: primer_bind
- 235 <222> LOCATION: 10996..11015
- 236 <223> OTHER INFORMATION: upstream amplification primer 99-14411 , complement
- 238 <220> FEATURE:
- 239 <221> NAME/KEY: primer_bind
- 240 <222> LOCATION: 10492..10512
- 241 <223> OTHER INFORMATION: downstream amplification primer 99-14411
- 243 <220> FEATURE:
- 244 <221> NAME/KEY: primer_bind
- 245 <222> LOCATION: 11972..11990
- 246 <223> OTHER INFORMATION: upstream amplification primer 99-4561

DATE: 06/11/2001 RAW SEQUENCE LISTING PATENT APPLICATION: US/09/668,558A TIME: 12:48:28

Input Set : D:\SEQLST\Seqlst.txt

Output Set: N:\CRF3\06112001\1668558A.raw

```
248 <220> FEATURE:
249 <221> NAME/KEY: primer_bind
250 <222> LOCATION: 12481..12501
251 <223> OTHER INFORMATION: downstream amplification primer 99-4561 , complement
253 <220> FEATURE:
254 <221> NAME/KEY: primer_bind
255 <222> LOCATION: 12005..12023
256 <223> OTHER INFORMATION: upstream amplification primer 9-4
258 <220> FEATURE:
259 <221> NAME/KEY: primer_bind
260 <222> LOCATION: 12417..12436
261 <223> OTHER INFORMATION: downstream amplification primer 9-4 , complement
263 <220> FEATURE:
264 <221> NAME/KEY: primer_bind
265 <222> LOCATION: 14102..14119
266 <223> OTHER INFORMATION: upstream amplification primer 99-4562
268 <220> FEATURE:
 269 <221> NAME/KEY: primer_bind
 270 <222> LOCATION: 14543..14563
 271 <223> OTHER INFORMATION: downstream amplification primer 99-4562, complement
 273 <220> FEATURE:
 274 <221> NAME/KEY: primer_bind
 275 <222> LOCATION: 14431..14448
 276 <223> OTHER INFORMATION: upstream amplification primer 99-3149
 278 <220> FEATURE:
 279 <221> NAME/KEY: primer_bind
 280 <222> LOCATION: 14848..14865
 281 <223> OTHER INFORMATION: downstream amplification primer 99-3149, complement
 283 <220> FEATURE:
 284 <221> NAME/KEY: primer_bind
 285 <222> LOCATION: 14748..14767
 286 <223> OTHER INFORMATION: upstream amplification primer 9-22
 288 <220> FEATURE:
 289 <221> NAME/KEY: primer_bind
 290 <222> LOCATION: 15198..15218
  291 <223> OTHER INFORMATION: downstream amplification primer 9-22, complement
  293 <220> FEATURE:
  294 <221> NAME/KEY: primer_bind
  295 <222> LOCATION: 14748...14767
  296 <223> OTHER INFORMATION: upstream amplification primer 9-24
  298 <220> FEATURE:
  299 <221> NAME/KEY: primer_bind
  300 <222> LOCATION: 15333..15351
  301 <223> OTHER INFORMATION: downstream amplification primer 9-24 , complement
  303 <220> FEATURE:
  304 <221> NAME/KEY: primer_bind
  305 <222> LOCATION: 15002..15019
  306 <223> OTHER INFORMATION: upstream amplification primer 9-5
   308 <220> FEATURE:
```

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/668,558A

DATE: 06/11/2001 TIME: 12:48:29

Input Set : D:\SEQLST\Seqlst.txt

Output Set: N:\CRF3\06112001\1668558A.raw

```
L:16 M:270 C: Current Application Number differs, Replaced Current Application No
L:16 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:1457 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:1459 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:1460 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1
L:1584 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:1593 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2
L:1639 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:2
L:1851 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:1860 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:2102 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:2111 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:2582 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:10
L:2971 M:336 W: Invalid Amino Acid Number in Coding Region, SEQ ID:14
L:4418 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:92
L:4434 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:93
L:4461 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95
 L:4499 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:98
 L:4515 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:99
 L:4531 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:100
```